

Web Images Videos Maps News Shopping Gmail more ▾

Sign in

Google scholar "recommender system" "multi dimensional" Search Advanced Scholar Search Scholar Preferences

Scholar Articles excluding patents ▾ anytime ▾ include citations ▾ Results 1 - 10 of about 412.

[PDF] A multi-dimensional, unified user model for cross-system personalization

C Niederée, A Stewart, B Mehta, M Hemmje - Proceedings of Advanced ... 2004 - Citeseer

Page 1. A **Multi-Dimensional, Unified User Model for Cross-System Personalization**

Claudia Niederée Fraunhofer IPSI Dolivostr. 15 D-64293 Darmstadt +(49) (0) 6151 869

831 niederée@ipsi.fhg.de Avaré Stewart Fraunhofer IPSI Dolivostr. ...

Cited by 44 · Related articles · View as HTML · All 3 versions

Integrating knowledge-based and collaborative-filtering recommender systems

R Burke - Proceedings of the Workshop on AI and Electronic ... 1993 - aaai.org

... This thought experiment suggests that a cascade using both knowledge-based and collaborative-filtering techniques may produce a **recommender system** with many of 71 Page

4. ... We can use these critiques by thinking of them as **multi-dimensional** ratings on different scales. ...

Cited by 74 · Related articles · All 9 versions

Hybrid recommender systems: Survey and experiments

R Burke - User Modeling and User-Adapted Interaction, 2002 - Springer

... CDNow (Schafer, Konstan & Riedl, 1999). It is the criteria of 'individualized' and 'interesting and useful' that separate the **recommender system** from information retrieval systems or search engines. The semantics of a search ...

Cited by 742 · Related articles · BL Direct · All 25 versions

Tv content recommender system

S Gupta, K Kurapati, KP Lee, J Martino, J ... - PROCEEDINGS OF THE ... 2000 - aaai.org

... The TV Advisor by Das and Horst [Das and Horst, 1998] is one example of a **recommender system**

for TV found in the ... We organize the valid search criteria along 'strings' or 'bracelets', which represent individual dimensions of the **multi-dimensional** TV programs database. ...

Cited by 24 · Related articles · BL Direct · All 8 versions

Recommender systems: a GroupLens perspective

JA Konstan, J Riedl, A Borchers, JL ... - ... systems: Papers from the ... 1998 - aaai.org

... Users resisted our early attempts to establish **multi-dimensional** rating schemes, including characteristics such as quality of the writing, and ... the good fortune of starting our system seeded with a database over 2.8 million ratings from the earlier EachMovie **recommender system**. ...

Cited by 32 · Related articles · All 2 versions

Multidimensional recommender systems: a data warehousing approach

G Adomavicius, A Tuzhilin - Lecture Notes in Computer Science, 2001 - Springer

... Alternatively, as in the case of ROLAP systems (eg, MicroStrategy Intelligent Server), the **multi-dimensional** recommendation model can be implemented via ... multidimensional **recommender system** simpler than if we had to design and implement our own system for data storage ...

Cited by 42 · Related articles · BL Direct · All 4 versions

Semantic ratings and heuristic similarity for collaborative filtering

R Burke - AAAI Workshop on Knowledge-based Electronic ... 2000 - aaai.org

... here attempts to estimate how much improvement might be expected from adding CF to an existing knowledge-based **recommender system**, and to ... One possible collaborative filtering approach using this data is to project the **multi-dimensional** ratings onto a single dimension, a ...

Cited by 27 - Related articles - All 14 versions

Incorporating contextual information in recommender systems using a ...

... , R Sankaranarayanan, S Sen, A Tuzhilin - ACM Transactions on ... , 2005 - portal.acm.org

... Again, a **recommender system** may recommend a different movie to a user depending on whether she is going to see it with her boyfriend on a Saturday night or ... First, it presents the **multi-dimensional** recommendation model and discusses some of its properties and capabilities ...

Cited by 229 - Related articles - All 24 versions

A case-based reasoning approach to collaborative filtering

R Burke - Lecture notes in computer science, 2000 - Springer

... This research examines **multi-dimensional** or semantic ratings in which a system gets information about the reason behind a preference. ... A "cascading" hybrid **recommender system** uses its knowledge to generate the best possible set of recommendations, and then uses ...

Cited by 30 - Related articles - BL Direct - All 9 versions

[PDF] Designing recommender systems for tourism

T Berka, M Plösch - Proceedings of ENTER 2004, 2004 - forschungaustria.at

... 3 Designing the **Recommender System** Architecture As we have seen above, we can derive (or induce) the filtering techniques from the types of ... more than one rating (ie vote prediction, similarity, relevance, etc) for every item, we can now merge these **multi-dimensional** votes to ...

Cited by 13 - Related articles - View as HTML - All 7 versions

Google ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

"recommender system" "multi dimen Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google